EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<u> </u>	723	379/382:ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:53
L2	1	L1 and differential adj ring\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:55
13	758	379/418:ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:55
L4	1	L3 and differential adj ring\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:02
L6	11	"379"/\$.ccls. and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10.13:13
L7	1174	379/413-413.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:12
L8	2	L7 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:48
L11	10358	(ringing adj signal\$1 or call adj alert\$3 or alert\$3 adj signal\$1) and \$4phone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:18

EAST Search History

L12	2756	L11 and generat\$3 with (ringing adj signal\$1 or call adj alert\$3 or alert\$3 adj signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:19
L13	23	L12 and (ringing adj signal\$1 or call adj alert\$3 or alert\$3 adj signal\$1) with differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:31
L15	4	L13 and (DC\$1offset or DC adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:47
L17	38	L12 and (DC-offset or DC adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:22
L19	61	(george-scott\$).IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:47
120	2	L19 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:52
L21	248	silicon adj laborator\$.AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:51
L22	0	L21 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:53

EAST Search History

L23	8044	330/251-261.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L24	0	L23 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L25	562	340/384.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L26	0	L25 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L27	1	"330"/\$.ccls. and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:56
L28	0	"340"/\$.ccls. and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:56

6/10/06 2:57:14 PM C:\Documents and Settings\RSingh\My Documents\EAST\Workspaces\10664696.wsp

Sign in



Web Images Groups News Froogle Maps more »

"differential ringing" "DC offset"

Search
Preferences

Web

Results 1 - 6 of about 7 for "differential ringing" "DC offset". (0.43 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] <u>ISL5586</u>

File Format: PDF/Adobe Acrobat - View as HTML

waveshapes with DC offset. Loop start and ground start. trunks are supported, and

an open ... differential ringing gain of the device is 100V/V. The circuit ...

www.intersil.com/data/fn/fn4924.pdf - Similar pages

[PDF] HC55180, HC55181, HC55183, HC55184

File Format: PDF/Adobe Acrobat - View as HTML

Differential Ringing Gain is measured with VRS = 0.795 V. RMS. for -100V

devices, VRS = 0.663 V ... The balanced ringing waveform consists of zero DC

offset ...

www.intersil.com/data/fn/fn4519.pdf - Similar pages

Details and datasheet on part: ISL5586CIM

... up to 95V peak supporting sinusoidal or trapezoidal waveshapes with DC offset.

... Ringing Mode Referenced to the Differential Ringing Amplitude. ...

www.digchip.com/datasheets/ parts/datasheet/235/ISL5586CIM.php - 20k -

Cached - Similar pages

[PDF] Le9502

File Format: PDF/Adobe Acrobat - View as HTML

DC offset support. — Common differential interface for both channels ... single or

differential ringing waveform using the VRINGP and VRINGM pins, ...

www.legerity.com/getfile.php?bpd__163_DS_Datasheet-for-

REV.CDE_G1_ID081007.pdf - Similar pages

米国特許公開公報 20050063534 - Direct drive for a subscriber line ... - [Translate this page]

米国特許公開公報 20050063534 (USPTOの全文), 2005-03-24. Direct drive for a

subscriber line differential ringing signal having a DC offset ...

cxp.paterra.com/jp/uspregrant20050063534.html - 20k - Supplemental Result -

Cached - Similar pages

[PDF] Le9502

File Format: PDF/Adobe Acrobat - View as HTML

DC offset support. - Common differential interface for both channels ... Internal

ringing is accomplished by applying a differential ringing ...

www.icdevice.co.kr/korea/product info tool/

include/product_info/files/phpZBcgyx/le9502.pdf - Similar pages

Try your search again on Google Book Search

Free! Speed up the web. Download the Google Web Accelerator.

"differential ringing" "DC offset" Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Ē



Results for "(differential ringing<in>metadata)" Your search matched 32 of 1351636 documents.

Home | Login | Logout | Access Infor

Welcome United States Patent and Trademark Office

Search Results

BROWSE

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending

SEARCH

IEEE XPLORE
GUIDE

order. » Search Options **Modify Search** View Session History (differential ringing<in>metadata) New Search Check to search only within this results set Display © Citation © Citation & Abstract Format: » Key TEEE IEEE Journal or JNL ্ৰ view selected items Select All Deselect All Magazine IEE Journal or IEE 1. Process and temperature compensation in a 7-MHz CM JNL Magazine oscillator Sundaresan, K.; Allen, P.E.; Ayazi, F.; Solid-State Circuits, IEEE Journal of Volume 41, Issue 2, Feb. 2006 Page(s):433 - 442 Digital Object Identifier 10.1109/JSSC.2005.863149 TEEE **IEEE Conference** CNF Proceeding TEE **IEE Conference** CNF AbstractPlus | Full Text: PDF(2448 KB) IEEE INL Rights and Permissions Proceeding TEEE STD **IEEE Standard** 2. Differential ring oscillators with multipath delay stages Mohan, S.S.; Chan, W.S.; Colleran, D.M.; Greenwood, S.F. Kouznetsov, I.G.;


Custom Integrated Circuits Conference, 2005. Proceedings 18-21 Sept. 2005 Page(s):503 - 506

Digital Object Identifier 10.1109/CICC.2005.1568716 AbstractPlus | Full Text: PDF(315 KB) IEEE CNF Rights and Permissions 3. Simulations of GaAs voltage controlled differential ring Ceperic, V.; Baric, A.; <u>EUROCON 2003. Computer as a Tool. The IEEE Region 8</u> Volume 1, 22-24 Sept. 2003 Page(s):151 - 155 vol.1 AbstractPlus | Full Text: PDF(330 KB) IEEE CNF Rights and Permissions 4. A 7-MHz process, temperature and supply compensated in 0.25 /spl mu/m CMOS Sundaresan, K.; Brouse, K.C.; U-Yen, K.; Ayazi, F.; Allen, Circuits and Systems, 2003. ISCAS '03. Proceedings of the <u>Symposium on</u> Volume 1, 25-28 May 2003 Page(s):I-693 - I-696 vol.1

Rights and Permissions

AbstractPlus | Full Text: PDF(343 KB) IEEE CNF

3



12. Simulation of timing jitter in ring oscillators Zhang, C.W.; Forbes, L.; University/Government/Industry Microelectronics Sympos Proceedings of the 15th Biennial 30 June-2 July 2003 Page(s):356 - 359 AbstractPlus Full Text: PDF(304 KB) Rights and Permissions
13. 25 GHz inductorless VCO in a 45 GHz SiGe technology Saniei, N., Jr.; Djahanshahi, H.; Salama, C.A.T.; Radio Frequency Integrated Circuits (RFIC) Symposium, 2 8-10 June 2003 Page(\$):269 - 272 AbstractPlus Full Text: PDF(308 KB) IEEE CNF Rights and Permissions
14. Timing jitter in a 1.35-GHz single-ended ring oscillator Zhang, C.W.; Forbes, L.; Circuits and Systems, 2002. MWSCAS-2002. The 2002 45 Symposium on Volume 3, 4-7 Aug. 2002 Page(s):III-308 - III-311 vol.3 AbstractPlus Full Text: PDF(321 KB) IEEE CNF Rights and Permissions
15. A low-phase-noise CMOS ring oscillator with differenti quadrature outputs Liang Dai; Harjani, R.; ASIC/SOC Conference, 2001. Proceedings. 14th Annual II 12-15 Sept. 2001 Page(s):134 - 138 Digital Object Identifier 10.1109/ASIC.2001.954686 AbstractPlus Full Text: PDF(472 KB) IEEE CNF Rights and Permissions
16. Design of a 3.3 V high frequency CMOS VCO with an a functionality Yun Cheol Han; Kwang Sub Yoon; Circuits and Systems, 2001. MWSCAS 2001. Proceedings 2001 Midwest Symposium on Volume 1, 14-17 Aug. 2001 Page(s):324 - 327 vol.1 Digital Object Identifier 10.1109/MWSCAS.2001.986178 AbstractPlus Full Text: PDF(162 KB) IEEE CNF Rights and Permissions
17. CMOS VCOs for frequency synthesis in wireless bioteli Betancourt-Zamora, R.J.; Lee, T.H.; Low Power Electronics and Design, 1998. Proceedings. 19 Symposium on 10-12 Aug 1998 Page(s):91 - 93 AbstractPlus Full Text: PDF(240 KB) IEEE CNF Rights and Permissions
18. PLL design for a 500 MB/s interface Horowitz, M.; Chan, A.; Cobrunson, J.; Gasbarro, J.; Lee, Richardson, W.; Thrush, T.; Fujii, Y.; Solid-State Circuits Conference, 1993. Digest of Technical ISSCC., 1993 IEEE International 24-26 Feb. 1993 Page(s):160 - 161, 282 Digital Object Identifier 10.1109/ISSCC.1993.280015 AbstractPlus Full Text: PDF(528 KB) IEEE CNF

Rights and Permissions

19. Selectivity of spatial filters for surface EMG detection f anterior muscle Farina, D.; Arendt-Nielsen, L.; Merletti, R.; Indino, B.; Grand Biomedical Engineering, IEEE Transactions on Volume 50, Issue 3, March 2003 Page(s):354 - 364 Digital Object Identifier 10.1109/TBME.2003.808830 <u>AbstractPlus</u> | <u>References</u> | Full Text: <u>PDF</u>(750 KB) IEE Rights and Permissions 20. An efficient and robust method for ring-oscillator simu harmonic-balance method Xiaochun Duan; Mayaram, K.; Computer-Aided Design of Integrated Circuits and System Transactions on Volume 24, Issue 8, Aug. 2005 Page(s):1225 - 1233 Digital Object Identifier 10.1109/TCAD.2005.850803 AbstractPlus | Full Text: PDF(240 KB) IEEE JNL Rights and Permissions 21. High speed differential voltage clamped current mode 1 Jeong, D.Y.; Chae, S.H.; Song, W.C.; Cho, G.H.; Electronics Letters Volume 33, Issue 13, 19 June 1997 Page(s):1102 - 1103 AbstractPlus | Full Text: PDF(260 KB) | IEE JNL 22. A 1.0 V 10.2 GHz CMOS frequency divider with different locking Fujishima, M.; Amamoto, K.; Wireless Communication Technology, 2003. IEEE Topical 15-17 Oct. 2003 Page(s):164 - 165 Digital Object Identifier 10.1109/WCT.2003.1321470 AbstractPlus | Full Text: PDF(279 KB) IEEE CNF Rights and Permissions 23. A CMOS time-to-digital converter based on a ring oscil Nissinen, I.; Mantyniemi, A.; Kostamovaara, J. Solid-State Circuits Conference, 2003, ESSCIRC '03, Proc <u>European</u> 16-18 Sept. 2003 Page(s):469 - 472 Digital Object Identifier 10.1109/ESSCIRC.2003.1257174 AbstractPlus | Full Text: PDF(524 KB) IEEE CNF Rights and Permissions 24. A unified eigenvalue theory for time-varying linear circ Zhu, J.; Johnson, C.D.; <u>Circuits and Systems</u>, 1990., IEEE International Symposiu 1-3 May 1990 Page(s):1393 - 1397 vol.2 Digital Object Identifier 10.1109/ISCAS.1990.112391 AbstractPlus | Full Text: PDF(400 KB) IEEE CNF Rights and Permissions 25. Active GHz clock network using distributed PLLs Gutnik, V., Chandrakasan, A.P.; Solid-State Circuits, IEEE Journal of Volume 35, Issue 11, Nov. 2000 Page(s):1553 - 1560

Digital Object Identifier 10.1109/4.881199

<u>AbstractPlus</u> | <u>References</u> | Full Text: <u>PDF</u>(160 KB) IEE Rights and Permissions

Help Cor

© Copyright 200t

inspec*